

## *Erratum*

# **MicroRNA-373 promotes migration and invasion in human esophageal squamous cell carcinoma by inhibiting TIMP3 expression: Am J Cancer Res. 2016; 6(1): 1-14**

Wenzhi Liu<sup>1,2\*</sup>, Mengkao Li<sup>3\*</sup>, Xiangming Chen<sup>2</sup>, Dakai Zhang<sup>1,4</sup>, Lin Wei<sup>2</sup>, Zicheng Zhang<sup>1</sup>, Shuang Wang<sup>2</sup>, Li Meng<sup>2</sup>, Shan Zhu<sup>1,4</sup>, Baosheng Li<sup>1,5</sup>


<sup>1</sup>Department of Radiation Oncology, Shandong Cancer Hospital Affiliated to Shandong University, Jinan, Shandong Province, P. R. China; <sup>2</sup>Department of Clinical Oncology, Taian Central Hospital, Taian, Shandong Province, P. R. China; <sup>3</sup>Department of Neurosurgery, Taian Central Hospital, Taian, Shandong Province, P. R. China; <sup>4</sup>University of Jinan, School of Medicine and Life Sciences, Shandong Academy of Medical Sciences, Jinan, Shandong Province, P. R. China; <sup>5</sup>Shandong Academy of Medical Sciences, Jinan, Shandong Province, P. R. China. \*Equal contributors.

Received December 5, 2020; Accepted December 11, 2020; Epub February 1, 2021; Published February 15, 2021

This article published in AJCR, the **Figures 4A, 4B, 8A** and **8B** were wrongly presented. The reason for these errors is that the folder is mixed up when taking and grouping photos because of carelessness. We assure that the correction of this images will not alter the conclusion of the results. The revised figures are presented as following:


**Address correspondence to:** Dr. Baosheng Li, Department of Radiation Oncology, Shandong Cancer Hospital Affiliated to Shandong University, Jinan 250117, Shandong Province, P. R. China. Tel: +86-17653115505; E-mail: baoshli1963@163.com

## miR-373 promotes migration and invasion in ESCC



**Figure 4.** miR-373 promotes migration and invasion in ESCC cells. A, C. Cells that passed through the membrane were measured. The number of migrated cells and invasive cells was much higher in miR-373 mimics group than in negative control group ( $*P < 0.01$ ,  $**P < 0.01$ ). B, D. The number of migrated cells and invasive cells was lower in miR-373 inhibitor group than in inhibitor negative control group ( $*P < 0.01$ ,  $**P < 0.01$ ).

## miR-373 promotes migration and invasion in ESCC



**Figure 8.** TIMP3 mediated the role of miR-373 in ESCC cell migration and invasion. A, C. pcDNA3.1-TIMP3 without the 3'-UTR sequence and miR-373 mimics were co-transfected into ECA109 cells. The average number of migration and invasion cells was higher evaluated by transwell assays. Western blot was used to evaluate TIMP3 protein levels. B, D. shRNA-TIMP3 and miR-373 inhibitor were co-transfected into KYSE410 cells. Transwell assays were used to assess the migration and invasion capacity of ESCC cells. TIMP3 protein level was estimated by Western blot.